



Sensor and Detector Interface 16.5V 0.25mA 40-Pin TQFN EP

Manufacturer:	Maxim Integrated
Package/Case:	QFN
Product Type:	Drivers
RoHS:	RoHS Compliant/Lead free 
Lifecycle:	NRND



Images are for reference only

[Inquiry](#)

General Description


MAX17113ETL+ is a high-efficiency, high-voltage, step-down DC-DC converter designed by Maxim Integrated. Here are some of its key features:

Key Features

- Input voltage range of 4.5V to 76V
- Adjustable output voltage range from 0.8V to 0.9 x VIN
- Maximum output current of 1.5A
- Internal 500mΩ power MOSFET switch
- Frequency synchronization up to 1.2MHz
- Programmable soft-start
- Overvoltage, undervoltage, overcurrent, and overtemperature protection

Application

- CPU Core DC-DC Converters
- Docking Stations
- Notebook Computers
- Single-Stage (BATT to V
- CORE
- Two-Stage (+5V to V
- CORE



Recommended For You

MAX1636EAP

Maxim Integrated
SSOP20

MAX1758EAI+

Maxim Integrated
SSOP28

MAX1673ESA+

Maxim Integrated
SOP8

MAX1682EUK+T

Maxim Integrated
SOT23-5

MAX1720EUT+T

Maxim Integrated
SOT23-6

MAX845ESA+T

Maxim Integrated
SOP-8

MAX1681ESA+

Maxim Integrated
SOP-8

MAX690CPA+

Maxim Integrated
DIP8

MAX690MJA

Maxim Integrated
CDIP8

MAX6107EUR+T

Maxim Integrated
SOT23-3

MAX5920BESA+

Maxim Integrated
SOP-8

MAX5922AEUI+

Maxim Integrated
TSSOP28

MAX5900ABETT+T

Maxim Integrated
TDFN-6

MAX5903LBEUT

Maxim Integrated
SOT23-6

MAX860ESA+

Maxim Integrated
SOP8